



G-Biosciences, St Louis, MO, USA | 1-800-628-7730 | 1-314-991-6034 | [technical@GBiosciences.com](mailto:technical@GBiosciences.com)

---

A Geno Technology, Inc. (USA) brand name

# Safety Data Sheet

Cat. # 786-1614

SpinOUT™ G-Acryl 100, 5ml

Size: 50 columns



think proteins! think G-Biosciences!

[www.GBiosciences.com](http://www.GBiosciences.com)



# SpinOUT G-Acryl 100

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/01/2019

Version: 1.1

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : SpinOUT G-Acryl 100  
Product code : 900S\_901S\_902S\_903S\_904S  
Synonyms : sephadex G25 fine 20-80  
BIG No : 48721

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemical

#### 1.3. Supplier

Geno Technology, Inc./ G-Biosciences  
9800 Page Avenue  
Saint Louis, 63132-1429 - United States  
T 800-628-7730 - F 314-991-1504  
[technical@GBiosciences.com](mailto:technical@GBiosciences.com) - [www.GBiosciences.com](http://www.GBiosciences.com)

#### 1.4. Emergency telephone number

Emergency number : Chemtrec **1-800-424-9300** (USA/Canada), **+1-703-527-3887** (Intl)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

No labeling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name    | Common Name (Synonyms)  | Product identifier | %       | GHS US classification |
|---------|---|--------------------|---------|-----------------------|
| ethanol | ethanol (ethyl alcohol) / ethanol, anhydrous, undenatured / ethyl alcohol | (CAS-No.) 64-17-5  | 10 - 50 | Flam. Liq. 2, H225    |

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.  
First-aid measures after inhalation : Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.  
First-aid measures after skin contact : Rinse with water. Do not apply (chemical) neutralizing agents without medical advice. Soap may be used. Take victim to a doctor if irritation persists.  
First-aid measures after eye contact : Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply (chemical) neutralizing agents without medical advice. Take victim to an ophthalmologist if irritation persists.  
First-aid measures after ingestion : Rinse mouth with water. Do not apply (chemical) neutralizing agents without medical advice. Call Poison Information Centre ([www.big.be/antigif.htm](http://www.big.be/antigif.htm)). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital.

# SpinOUT G-Acryl 100

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects (acute and delayed)

|                                     |                     |
|-------------------------------------|---------------------|
| Symptoms/effects after inhalation   | : No effects known. |
| Symptoms/effects after skin contact | : No effects known. |
| Symptoms/effects after eye contact  | : No effects known. |
| Symptoms/effects after ingestion    | : No effects known. |
| Chronic symptoms                    | : No effects known. |

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Quick-acting ABC powder extinguisher. Class A foam extinguisher. Water (quick-acting extinguisher, reel). Water. Class A foam. |
| Unsuitable extinguishing media | : Quick-acting BC powder extinguisher. Quick-acting CO2 extinguisher.  |

### 5.2. Specific hazards arising from the chemical

|                  |   |
|------------------|---|
| Fire hazard      | : DIRECT FIRE HAZARD: Non-flammable. Most organic solids may burn if strongly heated.<br>INDIRECT FIRE HAZARD: Heating increases the fire hazard.       |
| Explosion hazard | : DIRECT EXPLOSION HAZARD: Most organic solids are liable to dust explosion hazard.<br>INDIRECT EXPLOSION HAZARD: Dust cloud can be ignited by a spark. |

### 5.3. Special protective equipment and precautions for fire-fighters

|                                |  |
|--------------------------------|--|
| Precautionary measures fire    | : Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows. |
| Firefighting instructions      | : No specific fire-fighting instructions required.   |
| Protection during firefighting | : Heat/fire exposure: compressed air/oxygen apparatus.   |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                                  |   |
|----------------------------------|---|
| Protective equipment             | : Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus.                  |
| Emergency procedures             | : Mark the danger area. Prevent dust cloud formation, e.g. by wetting. Wash contaminated clothes.       |
| Measures in case of dust release | : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. |

#### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray.                                  |
| Methods for cleaning up | : Stop dust cloud by humidifying. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. |
| Other information       | : Dispose of materials or solid residues at an authorized site.   |

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |  |
|-------------------------------|--|
| Precautions for safe handling | : Avoid raising dust. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Clean contaminated clothing. Keep container tightly closed. Powdered form: no compressed air for pumping over. |
|-------------------------------|--|

# SpinOUT G-Acryl 100

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Heat-ignition : KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.  
Information on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents. water/moisture.  
Storage area : Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Meet the legal requirements.  
Special rules on packaging : SPECIAL REQUIREMENTS: closing. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| SpinOUT G-Acryl 100                        |          |
|--|----------|
| No additional information available        |          |
| ethanol (64-17-5)                          |          |
| USA - ACGIH - Occupational Exposure Limits |          |
| ACGIH STEL (ppm)                           | 1000 ppm |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves against chemicals (EN374)

#### Eye protection:

Safety glasses. In case of dust production: protective goggles

#### Skin and body protection:

Protective clothing

#### Respiratory protection:

Dust production: dust mask with filter type P1

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Appearance : Solid. Powder.  
Color : White  
Odor : No data available  
Odor threshold : No data available  
pH : No data available  
Melting point : No data available  
Freezing point : Not applicable  
Boiling point : No data available  
Flash point : Not applicable  
Relative evaporation rate (butyl acetate=1) : No data available  
Flammability (solid, gas) : Non flammable.  
Vapor pressure : No data available  
Relative vapor density at 20 °C : Not applicable  
Relative density : Not applicable

# SpinOUT G-Acryl 100

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                           |                     |
|---------------------------|---------------------|
| Solubility                | : No data available |
| Log Pow                   | : No data available |
| Auto-ignition temperature | : Not applicable    |
| Decomposition temperature | : No data available |
| Viscosity, kinematic      | : No data available |
| Viscosity, dynamic        | : No data available |
| Explosion limits          | : Not applicable    |
| Explosive properties      | : No data available |
| Oxidizing properties      | : No data available |

### 9.2. Other information

VOC content : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| ethanol (64-17-5)          |  |
|----------------------------|--|
| LD50 oral rat              | 10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value) |
| LD50 dermal rabbit         | > 16000 mg/kg (Rabbit; Literature study)   |
| LC50 inhalation rat (mg/l) | > 20 mg/l (4 h, Rat, Inhalation)   |

|                                   |                  |
|-----------------------------------|------------------|
| Skin corrosion/irritation         | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |

| ethanol (64-17-5) |                            |
|-------------------|----------------------------|
| IARC group        | 1 - Carcinogenic to humans |

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : No effects known.

# SpinOUT G-Acryl 100

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                     |                     |
|-------------------------------------|---------------------|
| Symptoms/effects after skin contact | : No effects known. |
| Symptoms/effects after eye contact  | : No effects known. |
| Symptoms/effects after ingestion    | : No effects known. |
| Chronic symptoms                    | : No effects known. |

### SECTION 12: Ecological information

#### 12.1. Toxicity

|                   |   |
|-------------------|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.  |
| Ecology - air     | : Not included in the list of substances which may contribute to the greenhouse effect (IPCC).<br>Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014). Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). |

| ethanol (64-17-5) |  |
|-------------------|--|
| LC50 fish 1       | 14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 Daphnia 1    | 9300 mg/l (48 h, Daphnia magna, Pure substance)  |

#### 12.2. Persistence and degradability

| SpinOUT G-Acryl 100             |  |
|---------------------------------|--|
| Persistence and degradability   | Biodegradability in water: no data available.  |
| ethanol (64-17-5)               |  |
| Persistence and degradability   | Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available. |
| Biochemical oxygen demand (BOD) | 0.8 - 0.967 g O <sub>2</sub> /g substance  |
| Chemical oxygen demand (COD)    | 1.7 g O <sub>2</sub> /g substance  |
| ThOD                            | 2.1 g O <sub>2</sub> /g substance  |
| BOD (% of ThOD)                 | 0.43   |

#### 12.3. Bioaccumulative potential

| SpinOUT G-Acryl 100       |  |
|---------------------------|--|
| Bioaccumulative potential | No bioaccumulation data available.   |
| ethanol (64-17-5)         |  |
| BCF fish 1                | 1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)                                |
| Log Pow                   | -0.35 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 24 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4).   |

#### 12.4. Mobility in soil

| SpinOUT G-Acryl 100 |   |
|---------------------|---|
| Ecology - soil      | No (test)data on mobility of the substance available. |
| ethanol (64-17-5)   |   |
| Surface tension     | 0.0245 N/m (20 °C)                                    |
| Ecology - soil      | Highly mobile in soil.                                |

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

|  |   |
|--|---|
| Waste treatment methods                    | : Waste treatment methods.  |
| Product/Packaging disposal recommendations | : Remove waste in accordance with local and/or national regulations. Remove to an authorized waste treatment plant.                                       |
| Additional information                     | : Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. |

# SpinOUT G-Acryl 100

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not applicable

#### Transportation of Dangerous Goods

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### ethanol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

##### ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

#### National regulations

##### ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H225

Highly flammable liquid and vapour

NFPA health hazard


: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

: 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*