



G-Biosciences, St Louis, MO, USA | 1-800-628-7730 | 1-314-991-6034 | technical@GBiosciences.com

A Geno Technology, Inc. (USA) brand name

Safety Data Sheet

Cat. # 786-535

ET Solution (8% sucrose, 5% Triton® X-100, 50mM EDTA, 50mM Tris.HCl, pH 8.

Size: 500ml



think proteins! think G-Biosciences!

www.GBiosciences.com



STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/12/2016

Revision date: 05/11/2017

Version: 7.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : STET Solution
Product code : 408S

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Geno Technology, Inc./ G-Biosciences
9800 Page Avenue
Saint Louis, 63132-1429 - United States
T 800-628-7730 - F 314-991-1504
technical@GBiosciences.com - www.GBiosciences.com

1.4. Emergency telephone number

Emergency number : Chemtrec **1-800-424-9300** (USA/Canada), **+1-703-527-3887** (Intl)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Hazardous to the aquatic environment - Acute Hazard Category 3 H402 Harmful to aquatic life
Hazardous to the aquatic environment - Chronic Hazard Category 3 H412 Harmful to aquatic life with long lasting effects
Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard statements (GHS US) : H402 - Harmful to aquatic life
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS US) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether	2-[4-(2,4,4-trimethylpentan-2-yl)phenoxy]ethanol / 4(1,1,3,3-tetramethylbutyl)phenyl polyethylene glycol / poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3-tetramethylbutyl)phenyl)-omega-hydroxy- / polyethylene glycol tert-octylphenyl ether / tert-octylphenoxy polyethoxyethanol / TRITON X-100	(CAS-No.) 9002-93-1	5 - 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
edetic acid	(ethylenedinitrilo)tetraacetic acid / 3,6-bis(carboxymethyl)3,6-diazaoctanedioic acid / 3,6-bis(carboxymethyl)edathamil / 3,6-diazaoctanedioic acid, 3,6-bis(carboxymethyl)- / 3,6-diazaoctanediol acid / acetic acid, (ethylenedinitrilo)tetra- / acetic acid, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis- / AI3-17181 / caswell No 438 / celon A / celon ATH / cheelox / cheelox BF acid / chemcolox 340 / clewat TAA / complexon II / complexone II / detaric acid / edathamil / edetic / edetic acid / editic acid / EDTA / EDTA acid / EDTA, chelating agent / endrate / EPA pesticide chemical code 039101 / ethylene-bis(iminodiacetic acid) / ethylenediamine-N,N,N',N'-tetraacetic acid / ethylenediaminetetra(acetic acid) / ethylenediaminetetraacetate / ethylenedinitrilotetraacetic acid / gluma cleanser / glycine, N,N'-1,2-ethanediybis(N-(carboxymethyl)- / hamp-ene acid / havidote / ICRF185 / idranal II / metaquest A / methaquest A / N,N'-1,2-ethanediybis(N-(carboxymethyl)glycine) / N,N'-1,2-ethanediybis(N-(carboxymethyl)glycine) / NA9117 / nervanaid B acid / nullapon B acid / nullapon BF acid / perma kleer 50 acid / SEQ100 / sequestrene AA / sequestric acid / sequestrol / tetrine acid / titriplex / trilon BW / trilon B(=EDTA) / trilon BS / trilon BW / universne acid / versene acid / versene(=EDTA) / vinkell 100 / warkeelate acid / YD30	(CAS-No.) 60-00-4	0.5 - 2	Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
 First-aid measures after skin contact : Wash skin with plenty of water.
 First-aid measures after eye contact : Rinse eyes with water as a precaution.
 First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

STET Solution

No additional information available

edetic acid (60-00-4)

No additional information available

polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

edetic acid (60-00-4)	
LD50 oral rat	4500 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
ATE US (oral)	4500 mg/kg body weight

STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)	
LD50 oral rat	1800 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	8000 mg/kg (Rabbit, Literature study, Dermal)
ATE US (oral)	1800 mg/kg body weight
ATE US (dermal)	8000 mg/kg body weight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

edetic acid (60-00-4)	
LC50 fish 1	159 mg/l (US EPA, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 Daphnia 1	140 mg/l (DIN 38412-11, 48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
ErC50 (algae)	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, GLP)

polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)	
LC50 fish 1	8.9 mg/l (96 h, Pimephales promelas, Literature study)
EC50 Daphnia 1	26 mg/l (48 h, Daphnia magna, Literature study)

12.2. Persistence and degradability

edetic acid (60-00-4)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.01 g O ₂ /g substance
Chemical oxygen demand (COD)	0.85 g O ₂ /g substance
ThOD	1.09 g O ₂ /g substance
BOD (% of ThOD)	0.0091

polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)	
Persistence and degradability	Not readily biodegradable in water.
Chemical oxygen demand (COD)	2.19 mg/g
ThOD	2.16 g O ₂ /g substance

12.3. Bioaccumulative potential

edetic acid (60-00-4)	
BCF fish 1	1.1 - 1.8 (28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Read-across, Fresh weight)
Log Pow	0.13 (Weight of evidence approach)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)	
Log Pow	4.86 (Estimated value)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

edetic acid (60-00-4)	
Log Koc	2.495 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Waste treatment methods.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

edetic acid (60-00-4)	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	5000 lb
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

15.2. International regulations

CANADA

EU-Regulations

National regulations

No additional information available

15.3. US State regulations

STET Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05/11/2017

Full text of H-phrases:

H302	Harmful if swallowed
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.