

ENCES[®] G-Biosciences, St Louis, MO, USA | 1-800-628-7730 | 1-314-991-6034 | technical@GBiosciences.com

A Geno Technology, Inc. (USA) brand name

Safety Data Sheet

Cat. # BTNM-0030

DTT [0.1M]

Size: 7.7mg





Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/10/2016 Revision date: 05/11/2017 Version: 7.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 1,4-dithiothreitol, DL-
Chemical name	: 1,4-dithiothreitol, DL-
CAS-No.	: 27565-41-9
Product code	: 277D_096O_D202
Formula	: C4H10O2S2
Synonyms	: (R*,R*)-(+/-)-1,4-dimercapto-2,3-butanediol / (R*,R*)-(+/-)-1,4-dimercaptobutane-2,3-diol / 1,4- dimercapto-2,3-butanediol, (R*,R*)-(+/-)- / 1,4-dimercaptobutane-2,3-diol, (R*,R*)-(+/-)- / 2,3- butanediol, 1,4-dimercapto-, (R*,R*)-(+/-)- / 2,3-butanediol, 1,4-dimercapto-, DL-threo- / Clelands's reagent, DL- / dithiothreitol, DL- / DL-1,4-dithiothreitol / DL-Cleland's reagent / DL- dithiothreitol / DL-DTT (=dithiothreitol) / DL-threo-1,4-dimercapto-2,3-butanediol / DTT (=dithiothreitol), DL- / rac-dithiothreitol / threitol, 1,4-dithio-, DL- / threo-1,4-dimercapto-2,3- butanediol, DL-
BIG No	: 31653
1.2. Recommended use and restrie	ctions on use
Use of the substance/mixture	: Chemical substance for research
1.3. Supplier	
Geno Technology, Inc./ G-Biosciences 9800 Page Avenue Saint Louis, 63132-1429 - United States T 800-628-7730 - F 314-991-1504 technical@GBiosciences.com - www.GBic	<u>psciences.com</u>
1.4. Emergency telephone number	· · · · · · · · · · · · · · · · · · ·
Emergency number	: Chemtrec 1-800-424-9300 (USA/Canada), +1-703-527-3887 (Intl)
SECTION 2: Hazard(s) identifica 2.1. Classification of the substanc	
GHS US classification	
Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Categor Specific target organ toxicity (single expos Full text of H statements : see section 16	
2.2. GHS Label elements, including	g precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	 H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lenses, if present and easy to do. Continue rinsing
P312 - Call a poison center or doctor if you feel unwell
P321 - Specific treatment (see supplemental first aid instruction on this label)
P330 - Rinse mouth.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in
accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

3.2.

Mixtures

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type : Mono-constituent **Product identifier GHS US classification** Name Common Name (Synonyms) % 1,4-dithiothreitol, DL-(R*,R*)-(+/-)-1,4-dimercapto-2,3-(CAS-No.) 27565-41-9 100 Acute Tox. 4 (Oral), H302 (Main constituent) butanediol / (R*,R*)-(+/-)-1,4-Skin Irrit. 2, H315 dimercaptobutane-2,3-diol / 1,4-Eye Irrit. 2, H319 STOT SE 3, H335 dimercapto-2,3-butanediol, (R*,R*)-(+/-)- / 1,4-dimercaptobutane-2,3diol, (R*,R*)-(+/-)- / 2,3-butanediol, 1,4-dimercapto-, (R*,R*)-(+/-)- / 2,3butanediol, 1,4-dimercapto-, DLthreo- / Clelands's reagent, DL- / dithiothreitol, DL- / DL-1,4dithiothreitol / DL-Cleland's reagent / DL-dithiothreitol / DL-DTT (=dithiothreitol) / DL-threo-1.4dimercapto-2,3-butanediol / DTT (=dithiothreitol), DL- / racdithiothreitol / threitol, 1,4-dithio-, DL- / threo-1,4-dimercapto-2,3butanediol, DL-

Full text of hazard classes and H-statements : see section 16

Not applicable SECTION 4: First-aid measures 4.1. **Description of first aid measures** First-aid measures general : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. First-aid measures after inhalation Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. First-aid measures after skin contact Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritation persists. Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. First-aid measures after eye contact Continue rinsing. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists. First-aid measures after ingestion Rinse mouth with water. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Most important symptoms and effects (acute and delayed) 4.2 Potential Adverse human health effects and : Produces effects on the nervous system. Harmful if swallowed. Causes skin irritation. May symptoms cause respiratory irritation. Causes serious eye irritation. : AFTER INHALATION OF DUST/MIST: Irritation of the respiratory tract. Irritation of the nasal Symptoms/effects after inhalation mucous membranes. Nausea. Vomiting. Central nervous system depression. Headache. Feeling of weakness. Respiratory difficulties. Blue/grey discolouration of the skin. Drunkenness. Disturbances of heart rate. Affection of the renal tissue. Disturbances of consciousness.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after skin contact	: Tingling/irritation of the skin.
Symptoms/effects after eye contact	: Irritation of the eye tissue.
Symptoms/effects after ingestion	: Symptoms similar to those listed under inhalation.
.3. Immediate medical attention and s	
reat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	shing media
Suitable extinguishing media	: Quick-acting ABC powder extinguisher. Class A foam extinguisher. Water (quick-acting extinguisher, reel). Water. Class A foam.
Insuitable extinguishing media	: Quick-acting BC powder extinguisher. Quick-acting CO2 extinguisher.
.2. Specific hazards arising from the c	chemical
ïre hazard	: DIRECT FIRE HAZARD: Not easily combustible. In finely divided state: increased fire hazard. INDIRECT FIRE HAZARD: Heating increases the fire hazard. Reactions involving a fire hazard: see "Reactivity Hazard".
explosion hazard	: DIRECT EXPLOSION HAZARD: Fine dust is explosive with air. INDIRECT EXPLOSION HAZARD: Dust cloud can be ignited by a spark.
.3. Special protective equipment and	precautions for fire-fighters
Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
irefighting instructions	: Cool tanks/drums with water spray/remove them into safety. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus.
SECTION 6: Accidental release mea	asures
	equipment and emergency procedures
.1.1. For non-emergency personnel	
Protective equipment	 Gloves. Face-shield. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Dust cloud production: dust-tight suit.
mergency procedures	: Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Wash contaminated clothes.
leasures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. In case of dust production: stop engines and no smoking. In case of dust production: no naked flames or sparks. Dust: spark-/explosionproof appliances/lighting equipment.
.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
.2. Environmental precautions	
Prevent soil and water pollution. Prevent spread	ding in sewers.
.3. Methods and material for containm	nent and cleaning up
.3. Methods and material for containm or containment	 nent and cleaning up Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Powdered form: no compressed air for pumping over spills. On heating: dilute combustible/toxic gases/vapours.
	: Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Powdered form: no
or containment	 Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Powdered form: no compressed air for pumping over spills. On heating: dilute combustible/toxic gases/vapours. Prevent dust cloud formation. Carefully collect the spill/leftovers. Scoop solid spill into closing containers. Powdered: do not use compressed air for pumping over spills. Clean contaminated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid raising dust. Keep away from naked flames/heat. In finely divided state: use spark- /explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Powdered form: no compressed air for pumping over. Keep container tightly closed.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Storage temperature	: <4 °C
Heat-ignition	: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents. reducing agents. (strong) bases. water/moisture.
Storage area	: Store in a cool area. Store in a dry area. Store in a dark area. Provide for a cooling system. May be stored under inert gas. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: hermetical. watertight. dry. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** 1,4-dithiothreitol, DL- (27565-41-9) No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station. : Avoid release to the environment.

Individual protection measures/Personal protective equipment 8.3.

Materials for protective clothing:

GIVE GOOD RESISTANCE: rubber

Hand protection:

Gloves

Eye protection:

Face shield. In case of dust production: protective goggles

Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

Respiratory protection:

Dust production: dust mask with filter type P2

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state : Solid		
Appearance	: Crystalline solid. Powder.	
Color	: White	
Odor	: Characteristic odour Unpleasant odour	
Odor threshold	: No data available	
рН	: 4.0 - 6.0 (1.5 %)	
Melting point	: 42 °C	
Freezing point	: Not applicable	
06/28/2019	EN (English US)	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: 130 °C (3 hPa)
Flash point	: > 110 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: 5.3
Relative density	: 1
Molecular mass	: 154.25 g/mol
Solubility	: Soluble in water. Soluble in chloroform. Soluble in acetone. Soluble in ethanol. Soluble in ether. Soluble in ethylacetate. Water: soluble, Literature
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

Other properties

: Hygroscopic. Acid reaction.

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Decomposes on exposure to water (moisture).		
10.2. Chemical stability		
Unstable on exposure to moisture.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handling	g conditions (see section 7).	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products	3	
Hazardous decomposition products.		
SECTION 11: Toxicological informat	ion	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 4.0 - 6.0 (1.5 %)	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 4.0 - 6.0 (1.5 %)	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause respiratory irritation.	
00/00/0010		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Produces effects on the nervous system. Harmful if swallowed. Causes skin irritation. May cause respiratory irritation. Causes serious eye irritation.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST/MIST: Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Nausea. Vomiting. Central nervous system depression. Headache. Feeling of weakness. Respiratory difficulties. Blue/grey discolouration of the skin. Drunkenness. Disturbances of heart rate. Affection of the renal tissue. Disturbances of consciousness.
Symptoms/effects after skin contact	: Tingling/irritation of the skin.
Symptoms/effects after eye contact	: Irritation of the eye tissue.
Symptoms/effects after ingestion	: Symptoms similar to those listed under inhalation.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Severe water pollutant (surface water). No data available on ecotoxicity.

12.2. Persistence and degradability		
1,4-dithiothreitol, DL- (27565-41-9)		
Persistence and degradability	Biodegradability in water: no data available.	
12.3. Bioaccumulative potential		
1,4-dithiothreitol, DL- (27565-41-9)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
No additional information available		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Waste treatment methods.	
Product/Packaging disposal recommendations	: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery.	
Additional information	: Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.	

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

1,4-dithiothreitol, DL- (27565-41-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

EU-Regulations

National regulations No additional information available

15.3. US State regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 05/11/2017

Full text of H-phrases:

	H302	Harmful if swallowed
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NF	PA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NF	PA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NF	PA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.