



G-Biosciences, St Louis, MO, USA | 1-800-628-7730 | 1-314-991-6034 | technical@GBiosciences.com

A Geno Technology, Inc. (USA) brand name

Safety Data Sheet

Cat. # BTNM-0049

Murashige and Skoog Multiplication Medium

Size: 1L



think proteins! think G-Biosciences!

www.GBiosciences.com



Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Revision date: 5/11/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Murashige and Skoog Multiplication Medium
Product code : M060
Product group : Raw material

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Geno Technology, Inc./ G-Biosciences
9800 Page Avenue
63132-1429 Saint Louis - United States
T 800-628-7730 - F 314-991-1504
technical@GBiosciences.com - www.GBiosciences.com

1.4. Emergency telephone number

Emergency number : Chemtrec **1-800-424-9300** (USA/Canada), **+1-703-527-3887** (Intl)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3 H272
Serious eye damage/eye irritation, Category 2 H319
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. Causes serious eye irritation.

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS03

GHS07

CLP Signal word

: Warning

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 - Keep away from clothing and other combustible materials.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use media other than water to extinguish.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
potassium nitrate	(CAS-No.) 7757-79-1 (EC-No.) 231-818-8	10 - 50	Ox. Sol. 3, H272
ammonium nitrate, conc combustible substances <0,2%	(CAS-No.) 6484-52-2 (EC-No.) 229-347-8	10 - 50	Ox. Sol. 3, H272 Eye Irrit. 2, H319
sodium ferredetate, anhydrous	(CAS-No.) 15708-41-5 (EC-No.) 239-802-2	0.5 - 2	Not classified
manganese(II)sulfate, monohydrate	(CAS-No.) 10034-96-5 (EC-No.) 232-089-9 (EC Index-No.) 025-003-00-4	0.05 - 0.5	STOT RE 2, H373 Aquatic Chronic 2, H411
boric acid substance listed as REACH Candidate	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	0.05 - 0.5	Repr. 1B, H360FD
potassium iodide	(CAS-No.) 7681-11-0 (EC-No.) 231-659-4	< 0.05	Not classified
sodium molybdate, dihydrate	(CAS-No.) 10102-40-6	< 0.05	Not classified
cobalt(II) chloride, hexahydrate substance listed as REACH Candidate (Cobalt dichloride)	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	< 0.05	Acute Tox. 4 (Oral), H302 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350i Repr. 1B, H360F Aquatic Chronic 1, H410
copper(II) sulfate, pentahydrate	(CAS-No.) 7758-99-8 (EC-No.) 231-847-6 (EC Index-No.) 029-004-00-0	< 0.05	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
boric acid	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	(5.5 =<C < 100) Repr. 1B, H360FD
cobalt(II) chloride, hexahydrate	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	(0.01 =<C < 100) Carc. 1B, H350i

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Eye irritation.
------------------------------------	-------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

5.2. Special hazards arising from the substance or mixture

Fire hazard	: May intensify fire; oxidiser.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Incompatible materials	: combustible materials.

7.3. Specific end use(s)

No additional information available

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium feredetate, anhydrous (15708-41-5)

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	1 mg/m³
WEL STEL (mg/m³)	2 mg/m³

cobalt(II) chloride, hexahydrate (7791-13-1)

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	0.1 mg/m³
-----------------	-----------

sodium molybdate, dihydrate (10102-40-6)

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	5 mg/m³
WEL STEL (mg/m³)	10 mg/m³

manganese(II)sulfate, monohydrate (10034-96-5)

EU - Occupational Exposure Limits

IOELV TWA (mg/m³)	Inhalable fraction Respirable fraction
-------------------	---

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	0.2 mg/m³ 0.05 mg/m³
-----------------	-------------------------

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May cause or intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)

LD50 oral rat	2950 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 88.8 mg/l (4 h, Rat, Inconclusive, insufficient data, Inhalation)

potassium nitrate (7757-79-1)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
LC50 inhalation rat (mg/l)	> 0.527 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (dust), 14 day(s))

cobalt(II) chloride, hexahydrate (7791-13-1)

LD50 oral rat	766 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

copper(II) sulfate, pentahydrate (7758-99-8)

LD50 oral rat	300 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 482 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity)

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
LD50 oral rat	4233 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

potassium iodide (7681-11-0)	
LD50 oral rat	2779 mg/kg (Rat)
LD50 dermal rabbit	3160 mg/kg (Rabbit)

boric acid (10043-35-3)	
LD50 oral rat	> 2600 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral, 15 day(s))
LD50 dermal rabbit	> 2000 mg/kg (FIFRA (40 CFR), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 2.12 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
LC50 fish 1	95 - 102 mg/l (48 h, Cyprinus carpio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Read-across)

potassium nitrate (7757-79-1)	
LC50 fish 1	1378 mg/l (Equivalent or similar to OECD 203, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Experimental value)
ErC50 (algae)	> 1700 mg/l (10 day(s), Diatomeae, Static system, Salt water, Experimental value, Nominal concentration)

cobalt(II) chloride, hexahydrate (7791-13-1)	
LC50 fish 1	22 - 48 ppm (96 h, Pimephales promelas, Cobalt ion)
EC50 Daphnia 1	1.1 - 3.2 mg/l (48 h, Daphnia magna, Cobalt ion)
EC50 72h algae (1)	0.05 mg/l (Selenastrum capricornutum, Cobalt)

copper(II) sulfate, pentahydrate (7758-99-8)	
Threshold limit algae 2	0.368 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Read-across)

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
LC50 fish 1	644.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	130.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	289.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence)

manganese(II)sulfate, monohydrate (10034-96-5)	
LC50 fish 1	33.8 mg/l (96 h, Pimephales promelas, Anhydrous form)
EC50 Daphnia 1	8.28 mg/l (48 h, Daphnia magna, Anhydrous form)

potassium iodide (7681-11-0)	
LC50 fish 1	1788.85 mg/l (LC50; 96 h)
EC50 Daphnia 1	483.68 mg/l (LC50; 48 h)

boric acid (10043-35-3)	
LC50 fish 1	79.7 mg/l (EPA OPPTS 850.1075, 96 h, Pimephales promelas, Static system, Fresh water, Read-across)
ErC50 (algae)	52.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, GLP)

12.2. Persistence and degradability

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in water.

potassium nitrate (7757-79-1)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

sodium ferredetate, anhydrous (15708-41-5)	
Persistence and degradability	Biodegradable in water.

cobalt(II) chloride, hexahydrate (7791-13-1)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

copper(II) sulfate, pentahydrate (7758-99-8)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

sodium molybdate, dihydrate (10102-40-6)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

BOD (% of ThOD)	Not applicable
-----------------	----------------

manganese(II)sulfate, monohydrate (10034-96-5)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

potassium iodide (7681-11-0)

Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

boric acid (10043-35-3)

Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)

Log Pow	-3.1
Bioaccumulative potential	Not bioaccumulative.

potassium nitrate (7757-79-1)

BCF fish 1	3.162 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Log Pow	-0.79 (Estimated value, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

sodium ferredetate, anhydrous (15708-41-5)

Log Pow	-10.6
Bioaccumulative potential	Not bioaccumulative.

copper(II) sulfate, pentahydrate (7758-99-8)

Bioaccumulative potential	Bioaccumable.
---------------------------	---------------

sodium molybdate, dihydrate (10102-40-6)

BCF fish 1	4.9 (28 day(s), Oncorhynchus tshawytscha, Fresh water, Weight of evidence, Anhydrous form)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

potassium iodide (7681-11-0)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

boric acid (10043-35-3)

BCF fish 1	< 0.1 l/kg (60 day(s), Oncorhynchus tshawytscha, Flow-through system, Fresh water, Weight of evidence, Fresh weight)
Log Pow	-1.09 (Experimental value, EU Method A.8: Partition Coefficient, 22 °C)

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

12.4. Mobility in soil

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)

Surface tension	Data waiving
Ecology - soil	No (test)data on mobility of the substance available.

potassium nitrate (7757-79-1)

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

cobalt(II) chloride, hexahydrate (7791-13-1)

Ecology - soil	Toxic to flora.
----------------	-----------------

copper(II) sulfate, pentahydrate (7758-99-8)

Ecology - soil	Toxic to flora.
----------------	-----------------

sodium molybdate, dihydrate (10102-40-6)

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

boric acid (10043-35-3)

Ecology - soil	No (test)data on mobility of the substance available. May be harmful to plant growth, blooming and fruit formation.
----------------	---

12.5. Results of PBT and vPvB assessment

Component	
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
boric acid (10043-35-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Waste treatment methods.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Boric acid (EC 233-139-2, CAS 10043-35-3)

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity (inhalation) Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet applicable for regions : GB - United Kingdom

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Revision date: 5/11/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Murashige and Skoog Multiplication Medium
Product code : M060
Product group : Raw material

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Geno Technology, Inc./ G-Biosciences
9800 Page Avenue
63132-1429 Saint Louis - United States
T 800-628-7730 - F 314-991-1504
technical@GBiosciences.com - www.GBiosciences.com

1.4. Emergency telephone number

Emergency number : Chemtrec **1-800-424-9300** (USA/Canada), **+1-703-527-3887** (Intl)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3 H272
Serious eye damage/eye irritation, Category 2 H319
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. Causes serious eye irritation.

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS03

GHS07

CLP Signal word

: Warning

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 - Keep away from clothing and other combustible materials.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use media other than water to extinguish.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
potassium nitrate	(CAS-No.) 7757-79-1 (EC-No.) 231-818-8	10 - 50	Ox. Sol. 3, H272
ammonium nitrate, conc combustible substances <0,2%	(CAS-No.) 6484-52-2 (EC-No.) 229-347-8	10 - 50	Ox. Sol. 3, H272 Eye Irrit. 2, H319
sodium ferredate, anhydrous	(CAS-No.) 15708-41-5 (EC-No.) 239-802-2	0.5 - 2	Not classified
manganese(II)sulfate, monohydrate	(CAS-No.) 10034-96-5 (EC-No.) 232-089-9 (EC Index-No.) 025-003-00-4	0.05 - 0.5	STOT RE 2, H373 Aquatic Chronic 2, H411
boric acid substance listed as REACH Candidate	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	0.05 - 0.5	Repr. 1B, H360FD
potassium iodide	(CAS-No.) 7681-11-0 (EC-No.) 231-659-4	< 0.05	Not classified
sodium molybdate, dihydrate	(CAS-No.) 10102-40-6	< 0.05	Not classified
cobalt(II) chloride, hexahydrate substance listed as REACH Candidate (Cobalt dichloride)	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	< 0.05	Acute Tox. 4 (Oral), H302 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350i Repr. 1B, H360F Aquatic Chronic 1, H410
copper(II) sulfate, pentahydrate	(CAS-No.) 7758-99-8 (EC-No.) 231-847-6 (EC Index-No.) 029-004-00-0	< 0.05	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
boric acid	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	(5.5 =<C < 100) Repr. 1B, H360FD
cobalt(II) chloride, hexahydrate	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	(0.01 =<C < 100) Carc. 1B, H350i

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Eye irritation.
------------------------------------	-------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

5.2. Special hazards arising from the substance or mixture

Fire hazard	: May intensify fire; oxidiser.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Incompatible materials	: combustible materials.

7.3. Specific end use(s)

No additional information available

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium feredetate, anhydrous (15708-41-5)

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	1 mg/m³
WEL STEL (mg/m³)	2 mg/m³

cobalt(II) chloride, hexahydrate (7791-13-1)

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	0.1 mg/m³
-----------------	-----------

sodium molybdate, dihydrate (10102-40-6)

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	5 mg/m³
WEL STEL (mg/m³)	10 mg/m³

manganese(II)sulfate, monohydrate (10034-96-5)

EU - Occupational Exposure Limits

IOELV TWA (mg/m³)	Inhalable fraction Respirable fraction
-------------------	---

United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m³)	0.2 mg/m³ 0.05 mg/m³
-----------------	-------------------------

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May cause or intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)

LD50 oral rat	2950 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 88.8 mg/l (4 h, Rat, Inconclusive, insufficient data, Inhalation)

potassium nitrate (7757-79-1)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
LC50 inhalation rat (mg/l)	> 0.527 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (dust), 14 day(s))

cobalt(II) chloride, hexahydrate (7791-13-1)

LD50 oral rat	766 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

copper(II) sulfate, pentahydrate (7758-99-8)

LD50 oral rat	300 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 482 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity)

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
LD50 oral rat	4233 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

potassium iodide (7681-11-0)	
LD50 oral rat	2779 mg/kg (Rat)
LD50 dermal rabbit	3160 mg/kg (Rabbit)

boric acid (10043-35-3)	
LD50 oral rat	> 2600 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral, 15 day(s))
LD50 dermal rabbit	> 2000 mg/kg (FIFRA (40 CFR), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 2.12 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
LC50 fish 1	95 - 102 mg/l (48 h, Cyprinus carpio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Read-across)

potassium nitrate (7757-79-1)	
LC50 fish 1	1378 mg/l (Equivalent or similar to OECD 203, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Experimental value)
ErC50 (algae)	> 1700 mg/l (10 day(s), Diatomeae, Static system, Salt water, Experimental value, Nominal concentration)

cobalt(II) chloride, hexahydrate (7791-13-1)	
LC50 fish 1	22 - 48 ppm (96 h, Pimephales promelas, Cobalt ion)
EC50 Daphnia 1	1.1 - 3.2 mg/l (48 h, Daphnia magna, Cobalt ion)
EC50 72h algae (1)	0.05 mg/l (Selenastrum capricornutum, Cobalt)

copper(II) sulfate, pentahydrate (7758-99-8)	
Threshold limit algae 2	0.368 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Read-across)

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
LC50 fish 1	644.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	130.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	289.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence)

manganese(II)sulfate, monohydrate (10034-96-5)	
LC50 fish 1	33.8 mg/l (96 h, Pimephales promelas, Anhydrous form)
EC50 Daphnia 1	8.28 mg/l (48 h, Daphnia magna, Anhydrous form)

potassium iodide (7681-11-0)	
LC50 fish 1	1788.85 mg/l (LC50; 96 h)
EC50 Daphnia 1	483.68 mg/l (LC50; 48 h)

boric acid (10043-35-3)	
LC50 fish 1	79.7 mg/l (EPA OPPTS 850.1075, 96 h, Pimephales promelas, Static system, Fresh water, Read-across)
ErC50 (algae)	52.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, GLP)

12.2. Persistence and degradability

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in water.

potassium nitrate (7757-79-1)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

sodium ferredetate, anhydrous (15708-41-5)	
Persistence and degradability	Biodegradable in water.

cobalt(II) chloride, hexahydrate (7791-13-1)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

copper(II) sulfate, pentahydrate (7758-99-8)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

sodium molybdate, dihydrate (10102-40-6)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

BOD (% of ThOD)	Not applicable
-----------------	----------------

manganese(II)sulfate, monohydrate (10034-96-5)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

potassium iodide (7681-11-0)

Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

boric acid (10043-35-3)

Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)

Log Pow	-3.1
Bioaccumulative potential	Not bioaccumulative.

potassium nitrate (7757-79-1)

BCF fish 1	3.162 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Log Pow	-0.79 (Estimated value, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

sodium ferredetate, anhydrous (15708-41-5)

Log Pow	-10.6
Bioaccumulative potential	Not bioaccumulative.

copper(II) sulfate, pentahydrate (7758-99-8)

Bioaccumulative potential	Bioaccumable.
---------------------------	---------------

sodium molybdate, dihydrate (10102-40-6)

BCF fish 1	4.9 (28 day(s), Oncorhynchus tshawytscha, Fresh water, Weight of evidence, Anhydrous form)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

potassium iodide (7681-11-0)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

boric acid (10043-35-3)

BCF fish 1	< 0.1 l/kg (60 day(s), Oncorhynchus tshawytscha, Flow-through system, Fresh water, Weight of evidence, Fresh weight)
Log Pow	-1.09 (Experimental value, EU Method A.8: Partition Coefficient, 22 °C)

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

12.4. Mobility in soil

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)

Surface tension	Data waiving
Ecology - soil	No (test)data on mobility of the substance available.

potassium nitrate (7757-79-1)

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

cobalt(II) chloride, hexahydrate (7791-13-1)

Ecology - soil	Toxic to flora.
----------------	-----------------

copper(II) sulfate, pentahydrate (7758-99-8)

Ecology - soil	Toxic to flora.
----------------	-----------------

sodium molybdate, dihydrate (10102-40-6)

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

boric acid (10043-35-3)

Ecology - soil	No (test)data on mobility of the substance available. May be harmful to plant growth, blooming and fruit formation.
----------------	---

12.5. Results of PBT and vPvB assessment

Component	
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
boric acid (10043-35-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Waste treatment methods.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Boric acid (EC 233-139-2, CAS 10043-35-3)

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1

Murashige and Skoog Multiplication Medium

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity (inhalation) Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet applicable for regions : GB - United Kingdom

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.