

A Geno Technology, Inc. (USA) brand name

# **Safety Data Sheet**

Cat. # BTNM-0051

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L)

Size: 1L





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 5/11/2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L)

Product code : M062
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Geno Technology, Inc./ G-Biosciences 9800 Page Avenue 63132-1429 Saint Louis - United States

T 800-628-7730 - F 314-991-1504 technical@GBiosciences.com - www.GBiosciences.com

#### 1.4. Emergency telephone number

**Emergency number** 

: Chemtrec 1-800-424-9300 (USA/Canada), +1-703-527-3887 (Intl)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3 H272
Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. Causes serious eye irritation.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



: Warning CLP Signal word

: H272 - May intensify fire; oxidiser. Hazard statements (CLP) H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P220 - Keep away from clothing and other combustible materials. P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use media other than water to extinguish.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
potassium nitrate	(CAS-No.) 7757-79-1 (EC-No.) 231-818-8	10 - 50	Ox. Sol. 3, H272
ammonium nitrate, conc combustible substances <0,2%	(CAS-No.) 6484-52-2 (EC-No.) 229-347-8	10 - 50	Ox. Sol. 3, H272 Eye Irrit. 2, H319
disodium dihydrogen ethylenediaminetetraacetate, dihydrate	(CAS-No.) 6381-92-6 (EC-No.) 205-358-3	0.5 - 2	Not classified
manganese(II)sulfate, monohydrate	(CAS-No.) 10034-96-5 (EC-No.) 232-089-9 (EC Index-No.) 025-003-00-4	0.05 - 0.5	STOT RE 2, H373 Aquatic Chronic 2, H411
boric acid substance listed as REACH Candidate	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	0.05 - 0.5	Repr. 1B, H360FD
potassium iodide	(CAS-No.) 7681-11-0 (EC-No.) 231-659-4	< 0.05	Not classified
sodium molybdate, dihydrate	(CAS-No.) 10102-40-6	< 0.05	Not classified
cobalt(II) chloride, hexahydrate substance listed as REACH Candidate (Cobalt dichloride)	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	< 0.05	Acute Tox. 4 (Oral), H302 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350i Repr. 1B, H360F Aquatic Chronic 1, H410
copper(II) sulfate, pentahydrate	(CAS-No.) 7758-99-8 (EC-No.) 231-847-6 (EC Index-No.) 029-004-00-0	< 0.05	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
boric acid	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	( 5.5 = <c 100)="" 1b,="" <="" h360fd<="" repr.="" td=""></c>
cobalt(II) chloride, hexahydrate	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	( 0.01 = <c 100)="" 1b,="" <="" carc.="" h350i<="" td=""></c>

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Wear personal protective equipment.

Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : combustible materials.

5/11/2017 EN (English) 3/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
cobalt(II) chloride, hexahydrate (7791-13-1)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	0.1 mg/m³	
sodium molybdate, dihydrate (10102-40-6)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	5 mg/m³	
WEL STEL (mg/m³)	10 mg/m³	
manganese(II)sulfate, monohydrate (10034-96-5)		
EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)	Inhalable fraction Respirable fraction	
United Kingdom - Occupational Exposure Limits		

0.2 mg/m<sup>3</sup> 0.05 mg/m<sup>3</sup>

#### 8.2. Exposure controls

WEL TWA (mg/m³)

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

and protection:	
otective gloves	
ve protection:	
afety glasses	
kin and body protection:	
ear suitable protective clothing	
espiratory protection:	
case of insufficient ventilation, wear suitable respiratory equipment	

### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable

5/11/2017 EN (English) 4/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

May cause or intensify fire; oxidiser.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Combustible materials.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
LD50 oral rat 2950 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Expervalue, Oral)	
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 88.8 mg/l (4 h, Rat, Inconclusive, insufficient data, Inhalation)

potassium nitrate (7757-79-1)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
LC50 inhalation rat (mg/l)	> 0.527 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (dust), 14 day(s))

disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

cobalt(II) chloride, hexahydrate (7791-13-1)	
LD50 oral rat	766 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

copper(II) sulfate, pentahydrate (7758-99-8)	
LD50 oral rat	300 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 482 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
LD50 oral rat	4233 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

potassium iodide (7681-11-0)	
LD50 oral rat	2779 mg/kg (Rat)
LD50 dermal rabbit	3160 mg/kg (Rabbit)

boric acid (10043-35-3)	
LD50 oral rat	> 2600 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral, 15 day(s))
LD50 dermal rabbit	> 2000 mg/kg (FIFRA (40 CFR), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 2.12 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

: Not classified Acute aquatic toxicity Chronic aquatic toxicity : Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
LC50 fish 1	95 - 102 mg/l (48 h, Cyprinus carpio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Read-across)

potassium nitrate (7757-79-1)	
LC50 fish 1	1378 mg/l (Equivalent or similar to OECD 203, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Experimental value)
ErC50 (algae)	> 1700 mg/l (10 day(s), Diatomeae, Static system, Salt water, Experimental value, Nominal concentration)

disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)	
LC50 fish 1	320 mg/l (LC50; 96 h)
EC50 Daphnia 1	> 100 mg/l (EC50; 24 h)

cobalt(II) chloride, hexahydrate (7791-13-1)	
LC50 fish 1	22 - 48 ppm (96 h, Pimephales promelas, Cobalt ion)
EC50 Daphnia 1	1.1 - 3.2 mg/l (48 h, Daphnia magna, Cobalt ion)
EC50 72h algae (1)	0.05 mg/l (Selenastrum capricornutum, Cobalt)

5/11/2017 EN (English) 6/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
copper(II) sulfate, pentahydrate (7758-	99-8)	
Threshold limit algae 2	0.368 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Read-across)	
sodium molybdate, dihydrate (10102-4	0-6)	
LC50 fish 1	644.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Semi-stati system, Fresh water, Experimental value)	
EC50 Daphnia 1	130.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 (algae)	289.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence)	
manganese(II)sulfate, monohydrate (1	0034-96-5)	
LC50 fish 1	33.8 mg/l (96 h, Pimephales promelas, Anhydrous form)	
EC50 Daphnia 1	8.28 mg/l (48 h, Daphnia magna, Anhydrous form)	
potassium iodide (7681-11-0)		
LC50 fish 1	1788.85 mg/l (LC50; 96 h)	
EC50 Daphnia 1	483.68 mg/l (LC50; 48 h)	
boric acid (10043-35-3)		
LC50 fish 1	79.7 mg/l (EPA OPPTS 850.1075, 96 h, Pimephales promelas, Static system, Fresh water, Read-across)	
ErC50 (algae)	52.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata Static system, Fresh water, Weight of evidence, GLP)	
12.2. Persistence and degradability		
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in water.	
potassium nitrate (7757-79-1)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.01 g O <sub>2</sub> /g substance	
cobalt(II) chloride, hexahydrate (7791-	13-1)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Chamical ayugan damand (COD)	Not applicable	

cobalt(II) chloride, hexahydrate (7791-13-1)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

copper(II) sulfate, pentahydrate (7758-99-8)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

5/11/2017 EN (English) 7/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

manganese(II)sulfate, monohydrate (10034-96-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

potassium iodide (7681-11-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

boric acid (10043-35-3)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	·

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
Log Pow	-3.1
Bioaccumulative potential	Not bioaccumulative.

potassium nitrate (7757-79-1)	
BCF fish 1	3.162 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Log Pow	-0.79 (Estimated value, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)	
Bioaccumulative potential	No bioaccumulation data available.

copper(II) sulfate, pentahydrate (7758-99-8)	
Bioaccumulative potential	Bioaccumable.

sodium molybdate, dihydrate (10102-40-6)	
BCF fish 1	4.9 (28 day(s), Oncorhynchus tshawytscha, Fresh water, Weight of evidence, Anhydrous form)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

potassium iodide (7681-11-0)	
Bioaccumulative potential	Not bioaccumulative.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

boric acid (10043-35-3)		
BCF fish 1	< 0.1 l/kg (60 day(s), Oncorhynchus tshawytscha, Flow-through system, Fresh water, Weight of evidence, Fresh weight)	
Log Pow	-1.09 (Experimental value, EU Method A.8: Partition Coefficient, 22 °C)	
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)		
Surface tension	Data waiving	
Ecology - soil	No (test)data on mobility of the substance available.	

potassium nitrate (7757-79-1)	
Ecology - soil	Adsorbs into the soil.

,,,,,	
Ecology - soil	Toxic to flora.

copper(II) sulfate, pentahydrate (7758-99-8)	
Ecology - soil	Toxic to flora.

sodium molybdate, dihydrate (10102-40-6)	
Ecology - soil	No (test)data on mobility of the substance available.

boric acid (10043-35-3)	
Ecology - soil	No (test)data on mobility of the substance available. May be harmful to plant growth, blooming and fruit formation.
12.5. Results of PBT and vPvB assessment	
Component	
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

boric acid (10043-35-3)

No additional information available

### **SECTION 13: Disposal considerations**

cobalt(II) chloride, hexahvdrate (7791-13-1)

13.1. Waste treatment methods

Waste treatment methods : Waste treatment methods.

#### **SECTION 14: Transport information**

In accordance with	ADR /	RID /	IMDG /	/ IATA	/ ADN

14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

5/11/2017 EN (English) 9/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not on the REACH Candidate List

Contains a substance on the REACH candidate list in concentration ≥ 0.1% or with a lower specific limit: Boric acid (EC 233-139-2, CAS 10043-35-3)

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not on the REACH Annex XIV List

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity (inhalation) Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet applicable for regions

: GB - United Kingdom

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 5/11/2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L)

Product code : M062
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Geno Technology, Inc./ G-Biosciences 9800 Page Avenue 63132-1429 Saint Louis - United States

T 800-628-7730 - F 314-991-1504 technical@GBiosciences.com - www.GBiosciences.com

#### 1.4. Emergency telephone number

**Emergency number** 

: Chemtrec 1-800-424-9300 (USA/Canada), +1-703-527-3887 (Intl)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3 H272
Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. Causes serious eye irritation.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



: Warning CLP Signal word

: H272 - May intensify fire; oxidiser. Hazard statements (CLP) H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P220 - Keep away from clothing and other combustible materials. P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use media other than water to extinguish.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
potassium nitrate	(CAS-No.) 7757-79-1 (EC-No.) 231-818-8	10 - 50	Ox. Sol. 3, H272
ammonium nitrate, conc combustible substances <0,2%	(CAS-No.) 6484-52-2 (EC-No.) 229-347-8	10 - 50	Ox. Sol. 3, H272 Eye Irrit. 2, H319
disodium dihydrogen ethylenediaminetetraacetate, dihydrate	(CAS-No.) 6381-92-6 (EC-No.) 205-358-3	0.5 - 2	Not classified
manganese(II)sulfate, monohydrate	(CAS-No.) 10034-96-5 (EC-No.) 232-089-9 (EC Index-No.) 025-003-00-4	0.05 - 0.5	STOT RE 2, H373 Aquatic Chronic 2, H411
boric acid substance listed as REACH Candidate	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	0.05 - 0.5	Repr. 1B, H360FD
potassium iodide	(CAS-No.) 7681-11-0 (EC-No.) 231-659-4	< 0.05	Not classified
sodium molybdate, dihydrate	(CAS-No.) 10102-40-6	< 0.05	Not classified
cobalt(II) chloride, hexahydrate substance listed as REACH Candidate (Cobalt dichloride)	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	< 0.05	Acute Tox. 4 (Oral), H302 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350i Repr. 1B, H360F Aquatic Chronic 1, H410
copper(II) sulfate, pentahydrate	(CAS-No.) 7758-99-8 (EC-No.) 231-847-6 (EC Index-No.) 029-004-00-0	< 0.05	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
boric acid	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	( 5.5 = <c 100)="" 1b,="" <="" h360fd<="" repr.="" td=""></c>
cobalt(II) chloride, hexahydrate	(CAS-No.) 7791-13-1 (EC-No.) 231-589-4 (EC Index-No.) 027-004-00-5	( 0.01 = <c 100)="" 1b,="" <="" carc.="" h350i<="" td=""></c>

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Wear personal protective equipment.

Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : combustible materials.

5/11/2017 EN (English) 3/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal p	protection	
8.1. Control parameters		
cobalt(II) chloride, hexahydrate (7791-13-1)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	0.1 mg/m³	
sodium molybdate, dihydrate (10102-40-6)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	5 mg/m³	
WEL STEL (mg/m³)	10 mg/m³	
manganese(II)sulfate, monohydrate (10034-96	-5)	
EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)	Inhalable fraction Respirable fraction	
United Kingdom - Occupational Exposure Limits		

0.2 mg/m<sup>3</sup> 0.05 mg/m<sup>3</sup>

#### 8.2. Exposure controls

WEL TWA (mg/m³)

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

and protection:	
otective gloves	
ve protection:	
afety glasses	
kin and body protection:	
ear suitable protective clothing	
espiratory protection:	
case of insufficient ventilation, wear suitable respiratory equipment	

### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable

5/11/2017 EN (English) 4/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

May cause or intensify fire; oxidiser.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Combustible materials.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
LD50 oral rat	2950 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 88.8 mg/l (4 h, Rat, Inconclusive, insufficient data, Inhalation)

potassium nitrate (7757-79-1)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
LC50 inhalation rat (mg/l)	> 0.527 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (dust), 14 day(s))

disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

cobalt(II) chloride, hexahydrate (7791-13-1)	
LD50 oral rat	766 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

copper(II) sulfate, pentahydrate (7758-99-8)	
LD50 oral rat	300 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 482 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
LD50 oral rat	4233 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)

potassium iodide (7681-11-0)	
LD50 oral rat	2779 mg/kg (Rat)
LD50 dermal rabbit	3160 mg/kg (Rabbit)

boric acid (10043-35-3)	
LD50 oral rat	> 2600 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral, 15 day(s))
LD50 dermal rabbit	> 2000 mg/kg (FIFRA (40 CFR), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 2.12 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

: Not classified Acute aquatic toxicity Chronic aquatic toxicity : Not classified

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
LC50 fish 1	95 - 102 mg/l (48 h, Cyprinus carpio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Read-across)

potassium nitrate (7757-79-1)	
LC50 fish 1	1378 mg/l (Equivalent or similar to OECD 203, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	490 mg/l (48 h, Daphnia magna, Fresh water, Experimental value)
ErC50 (algae)	> 1700 mg/l (10 day(s), Diatomeae, Static system, Salt water, Experimental value, Nominal concentration)

disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)	
LC50 fish 1	320 mg/l (LC50; 96 h)
EC50 Daphnia 1	> 100 mg/l (EC50; 24 h)

cobalt(II) chloride, hexahydrate (7791-13-1)	
LC50 fish 1	22 - 48 ppm (96 h, Pimephales promelas, Cobalt ion)
EC50 Daphnia 1	1.1 - 3.2 mg/l (48 h, Daphnia magna, Cobalt ion)
EC50 72h algae (1)	0.05 mg/l (Selenastrum capricornutum, Cobalt)

5/11/2017 EN (English) 6/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH	, with to affect affect regulation (EG) 2010/000		
copper(II) sulfate, pentahydrate (7758-	99-8)		
Threshold limit algae 2	0.368 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Read-across)		
sodium molybdate, dihydrate (10102-4	0-6)		
LC50 fish 1	644.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Semi-stati system, Fresh water, Experimental value)		
EC50 Daphnia 1	130.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
ErC50 (algae)	289.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence)		
manganese(II)sulfate, monohydrate (1	0034-96-5)		
LC50 fish 1	33.8 mg/l (96 h, Pimephales promelas, Anhydrous form)		
EC50 Daphnia 1	8.28 mg/l (48 h, Daphnia magna, Anhydrous form)		
potassium iodide (7681-11-0)	notassium iodide (7681-11-0)		
LC50 fish 1	1788.85 mg/l (LC50; 96 h)		
EC50 Daphnia 1	483.68 mg/l (LC50; 48 h)		
boric acid (10043-35-3)			
LC50 fish 1	79.7 mg/l (EPA OPPTS 850.1075, 96 h, Pimephales promelas, Static system, Fresh water, Read-across)		
ErC50 (algae)	52.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata Static system, Fresh water, Weight of evidence, GLP)		
12.2. Persistence and degradability			
ammonium nitrate, conc combustible	substances <0,2% (6484-52-2)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in water.		
potassium nitrate (7757-79-1)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)			
Persistence and degradability	Not readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.01 g O <sub>2</sub> /g substance		
cobalt(II) chloride, hexahydrate (7791-	13-1)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chamical ayugan damand (COD)	Not applicable		

cobalt(II) chloride, hexahydrate (7791-13-1)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

copper(II) sulfate, pentahydrate (7758-99-8)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

5/11/2017 EN (English) 7/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium molybdate, dihydrate (10102-40-6)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

manganese(II)sulfate, monohydrate (10034-96-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

potassium iodide (7681-11-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

boric acid (10043-35-3)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	·

ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	
Log Pow	-3.1
Bioaccumulative potential	Not bioaccumulative.

potassium nitrate (7757-79-1)	
BCF fish 1	3.162 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Log Pow	-0.79 (Estimated value, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

disodium dihydrogen ethylenediaminetetraacetate, dihydrate (6381-92-6)	
Bioaccumulative potential	No bioaccumulation data available.

copper(II) sulfate, pentahydrate (7758-99-8)	
Bioaccumulative potential	Bioaccumable.

sodium molybdate, dihydrate (10102-40-6)	
BCF fish 1	4.9 (28 day(s), Oncorhynchus tshawytscha, Fresh water, Weight of evidence, Anhydrous form)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

potassium iodide (7681-11-0)	
Bioaccumulative potential	Not bioaccumulative.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

boric acid (10043-35-3)			
BCF fish 1	< 0.1 l/kg (60 day(s), Oncorhynchus tshawytscha, Flow-through system, Fresh water, Weight of evidence, Fresh weight)		
Log Pow	-1.09 (Experimental value, EU Method A.8: Partition Coefficient, 22 °C)		
Bioaccumulative potential	Not bioaccumulative.		
12.4. Mobility in soil			
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)			
Surface tension	Data waiving		
Ecology - soil	No (test)data on mobility of the substance available.		

potassium nitrate (7757-79-1)	
Ecology - soil	Adsorbs into the soil.

Ecology - soil	Toxic to flora.

copper(II) sulfate, pentahydrate (7758-99-8)	
Ecology - soil	Toxic to flora.

sodium molybdate, dihydrate (10102-40-6)	
Ecology - soil	No (test)data on mobility of the substance available.

boric acid (10043-35-3)			
Ecology - soil	No (test)data on mobility of the substance available. May be harmful to plant growth, blooming and fruit formation.		
12.5. Results of PBT and vPvB assessment			
Component			
ammonium nitrate, conc combustible substances <0,2% (6484-52-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

boric acid (10043-35-3)

No additional information available

### **SECTION 13: Disposal considerations**

cobalt(II) chloride, hexahvdrate (7791-13-1)

13.1. Waste treatment methods

Waste treatment methods : Waste treatment methods.

#### **SECTION 14: Transport information**

In accordance with	ADR /	RID /	IMDG /	/ IATA	/ ADN

14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

5/11/2017 EN (English) 9/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not on the REACH Candidate List

Contains a substance on the REACH candidate list in concentration ≥ 0.1% or with a lower specific limit: Boric acid (EC 233-139-2, CAS 10043-35-3)

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not on the REACH Annex XIV List

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Murashige and Skoogs Basal w/ Gamborg Vitamins (3.54g/L) is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity (inhalation) Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet applicable for regions

: GB - United Kingdom

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.